techsolo

Designed by Future

Techsolo B.V.
Anholtseweg 38
7091 HB Dinxperlo

Netherland

Tel.: 0031 - 315 - 657 060
Fax: 0031 - 315 - 657 068

www.techsolo.com
info@techsolo.com

TMN-3553 3,5” Lan/ USB / TMN-3553 3,5” Lan/ USB

Techsolo Europa B.V. | 2006

Produktbeschreibung
Product description

TMN-3553

techsolo

Designed by Future

Techsolo B.V.
Anholtseweg 38
7091 HB Dinxperlo

Netherland

Tel.: 0031 - 315 - 657 060
Fax: 0031 - 315 - 657 068

www.techsolo.com
info@techsolo.com

TMN-3553 3,5” storage case LAN RJ-45/ USB 2.0

Special Cases

Ideal for anyone exchanging often much data. Whether on USB or LAN. It is an ideal file server on any LAN Party, just connect it to the switch and then integrate it to your system and start sharing.

Technical data:

· For 3,5” HDDs
· LAN RJ-45/ USB 2.0
· External power supply
· USB bridge chip
· Prolific PL-2507
NDAS-chip: XiMeta (2011)
· On-/Off-switch on the backside
· Cable length: ca. 1 m

Package contnet:

· USB HDD enclosure
· USB cable/ Lan Cable
· Power supply
· Driver CD

Logistic data:

measures: 300x320x80 mm
packing measures: 220x117x30 mm
box measures: 605x425x335 mm
weight: 14,5 kg per packing unit
packing unit: 12 pcs
packing units per palette: 15

Disclaimer:

The pictures of the product can be different from the product itself. The court of law is impossible. You don’t have the right to claim on anything by this data sheet. If you are using this sheet you agree to these conditions.

techsolo

Designed by Future

Techsolo B.V.
Anholtseweg 38
7091 HB Dinxperlo

Netherland

Tel.: 0031 - 315 - 657 060
Fax: 0031 - 315 - 657 068

www.techsolo.com
info@techsolo.com

TMN-3553 3,5” Festplattenrahmen LAN RJ-45/ USB 2.0

Special Cases

Erhöhen Sie Ihre Flexibilität, indem Sie diesen externen Festplattenrahmen verwenden. Ideal für alle, die häufig viele Daten tauschen und häufig auf LANs unterwegs sind. Einfach an den Switch anschließen und an den Rechnern einbinden, schon hat man einen Speicherserver in kleinen Ausmaßen. Es verfügt über sowohl USB 2.0, als auch LAN 100 Mbit. Das Gehäuse besteht aus robustem Aluminium, bietet also neben der hochwertigen Optik auch perfekte Wärmeableitung.

Technische Daten:

· Für 3,5“ Festplatten
· LAN RJ-45/ USB 2.0
· Externes Netzteil
· USB bridge chip
· Prolific PL-2507
  NDAS-chip: XiMeta (2011)
· Ein-/Ausschalter auf der Rückseite
· Kabellänge: ca. 1 m

Lieferumfang:

· USB Festplattenrahmen
· LAN Kabel/ USB Kabel
· Netzteil
· Treiber CD

Logistische Daten:

Abmessungen: 220x117x30 mm
Abmessungen Verpackung: 300x320x80 mm
Abmessungen Karton: 605x425x335 mm
Gewicht: 14,5 kg pro VPE
Verpackungseinheit: 12 Stück
Verpackungseinheiten auf Palette: 15

Disclaimer:

Die Abbildungen können vom Original abweichen. Sie können durch dieses Datenblatt keinerlei Ansprüche geltend machen.
Der Rechtsweg ist ausgeschlossen. Wenn Sie dieses Datenblatt verwenden, so stimmen Sie diesen Vereinbarungen zu.